



### 1. Identification

Product identifier	Excel Triple 5	
Other means of identification Product Number	139	
	Not available.	
Recommended use		
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/I	Distributor information	
Manufacturer		
Company name	Baicor LC	
Address	P.O. Box 725	
	Logan, UT 84323	
<b>T</b> . I	United States	
Telephone Website	Not available. www.baicor.com	
E-mail	Not available.	
	Not available.	
Emergency phone number	Not available.	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Catego
	Serious eye damage/eye irritation	Catego
Environmental hazards	Hazardous to the aquatic environment, acute	Catego

Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	

Label elements



	$\checkmark$
Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear protective gloves. Avoid release to the environment. Wear eye protection/face protection.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If eye irritation persists: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

## Mixtures

Chemical name	Common name and synonyms	CAS number	%
CALCIUM NITRATE		10124-37-5	13.65
UREA		57-13-6	3.01
TRADE SECRET*		Proprietary*	0.1
Other components below re	portable levels		83.24

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures		
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release meas	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Should not be released into the environment. Prevent product from entering drains. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	

Environmental precautionsNever return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.Avoid release to the environment. Do not contaminate water. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling Av

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

# 8. Exposure controls/personal protection

Occupational exposure limits	5		
US. ACGIH Threshold Li		Value	
Components	Туре		
TRADE SECRET	TWA	1 mg/m3	
US. NIOSH: Pocket Guid			
Components	Туре	Value	
TRADE SECRET	TWA	1 mg/m3	
US. Workplace Environm	ental Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
UREA (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
Biological limit values	No biological exposure limits noted for	or the ingredient(s).	
controls	should be matched to conditions. If a or other engineering controls to mair exposure limits have not been establ wash facilities and emergency show	tain airborne levels below rece lished, maintain airborne levels er must be available when han	ommended exposure limits. If s to an acceptable level. Eye
Individual protection measur Eye/face protection	es, such as personal protective equipm Wear safety glasses with side shield		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.		
Other	Wear appropriate chemical resistant clothing.		
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygie and before eating, drinking, and/or s equipment to remove contaminants.		

# 9. Physical and chemical properties

.

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Brown
Odor	Not available.
Odor threshold	Not available.
рН	0.9
Melting point/freezing point	374 °F (190 °C) estimated
Initial boiling point and boiling	Not available.
range	
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	55.05 % estimated
Specific gravity	1.42
VOC (Weight %)	1.53 % estimated

# 10. Stability and reactivity

Reactivity	Reacts violently with strong alkaline substances. This product may react with reducing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Bases. Reducing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

### Information on toxicological effects

## Acute toxicity

Components	Species	Test Results
CALCIUM NITRATE (CAS 10	0124-37-5)	
Acute		
Oral		
LD50	Rat	302 mg/kg
UREA (CAS 57-13-6)		
<u>Acute</u>		
Oral		
LD50	Rat	8471 mg/kg
	Sheep	28500 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye	Causes serious eye irritation.

Respiratory or skin sensitization	n
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall	Evaluation of Carcinogenicity
Not available.	
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)
Not listed.	
US. National Toxicology Pro	ogram (NTP) Report on Carcinogens
Not available.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

# 12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

	Species	Test Results
AS 10124-37-5)		
LC50	Bluegill (Lepomis macrochirus)	2400 mg/l, 96 hours
EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
LC50	Giant gourami (Colisa fasciata)	5 mg/l, 96 hours
	LC50 EC50	AS 10124-37-5) LC50 Bluegill (Lepomis macrochirus) EC50 Water flea (Daphnia magna)

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

## **Bioaccumulative potential**

Partition coefficient n-octanol / water (log Kow)		
UREA	-2.11	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

15. Regulatory informatio	n			
US federal regulations	This product is a "Haza Standard, 29 CFR 1910		ned by the OSHA Hazard Communication	
TSCA Section 12(b) Export Not regulated.				
CERCLA Hazardous Substa	ance List (40 CFR 302.4)			
Not listed.				
SARA 304 Emergency relea	se notification			
Not regulated. OSHA Specifically Regulate	d Substances (29 CFB ·	1910 1001-1050)		
Not listed.		1310.1001-1000)		
Superfund Amendments and Re	authorization Act of 10	86 (SARA)		
Hazard categories	Immediate Hazard - Ye			
	Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No			
SARA 302 Extremely hazard Not listed.	-			
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
CALCIUM NITRATE		10124-37-5	13.65	
Other federal regulations				
Clean Air Act (CAA) Sectior	n 112 Hazardous Air Pol	lutants (HAPs) List		
Not regulated.				
Clean Air Act (CAA) Sectior	n 112(r) Accidental Relea	ase Prevention (40 CFR	68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
JS state regulations				
US. California Controlled S	ubstances. CA Departme	ent of Justice (Californi	a Health and Safety Code Section 11100	J)
Not listed.				
US. Massachusetts RTK - S	ubstance List			
Not regulated. US. New Jersey Worker and	Community Bight to K	now Act		
CALCIUM NITRATE (CA		now Act		
US. Pennsylvania Worker a	,	Know Law		
TRADE SECRET (CAS F				
US. Rhode Island RTK				
CALCIUM NITRATE (CA	S 10124-37-5)			
US. California Proposition				
California Safe Drinking			ition 65): This material is not known to cor	ntain

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	10-06-2015
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.